



MULTI1ONE[®]

WWW.MULTIONE.COM



POWERED BY
YANMAR



1.1

ECOMIGO
ENGENHARIA



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
1.1	250 kg	12 HP	8 km/h	500 kgf	19 l/min	1,8 m	390 kg	1304 mm	993 mm

1 series

POWERED BY
BRIGGS & STRATTON

2.3 PETROL



NEW

POWERED BY
BRIGGS & STRATTON

2.2 PETROL



2 series



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
2.2	450 kg	22 HP	12 km/h	800 kgf	31 l/min	1,82 m	680 kg	1900 mm	998 mm
2.3	450 kg	27 HP	12 km/h	800 kgf	42 l/min	1,82 m	700 kg	1900 mm	998 mm

Kubota
ENGINES



TIER 4
FINAL



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
520	700 kg	20 HP	11 km/h	900 kgf	31 l/min	2,75 m	940 kg	1930 mm	980 mm
525	700 kg	25 HP	11 km/h	900 kgf	34 l/min	2,75 m	960 kg	1930 mm	980 mm
630+	800 kg	28 HP	13 km/h	900 kgf	42 l/min	2,75 m	1050 kg	1960 mm	1200 mm

5 series



S525

POWERED BY
YANMAR



S630+

Kubota
ENGINES



TIER 4
FINAL



S520

6 series



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
6.3	1200 kg	28 HP	13 km/h	900 kgf	46 l/min	2,92 m	1400 kg	2020 mm	1070 mm
6.3+	1200 kg	28 HP	11 km/h	1690 kgf	46 l/min	2,92 m	1430 kg	2020 mm	1070 mm
6.3S	1200 kg	28 HP	15 km/h	1160 kgf	46 l/min	2,92 m	1430 kg	2020 mm	1070 mm



6.3+
HIGH-TORQUE



6.3

NEW

POWERED BY
YANMAR



6.3S
HIGH-SPEED

POWERED BY
YANMAR



7.3+
HIGH-TORQUE



7.3
HIGH-SPEED

NEW

POWERED BY
YANMAR



7.3S
HIGH-TORQUE
HIGH-SPEED

7 series



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
7.3	1550 kg	35 HP	15 km/h	1300 kgf	68 l/min	2,9 m	1670 kg	2000 mm	1130 mm
7.3+	1550 kg	35 HP	11 km/h	1690 kgf	68 l/min	2,9 m	1670 kg	2000 mm	1130 mm
7.3S	1550 kg	35 HP	19 km/h	2000 kgf	68 l/min	2,9 m	1690 kg	2000 mm	1130 mm

POWERED BY
YANMAR

POWERED BY
YANMAR

POWERED BY
YANMAR

ECOAMIGO
ENGENHARIA

8 series



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
8.4	1600 kg	40 HP	12 km/h	1425 kgf	72 l/min	2,98 m	1722 kg	2040 mm	1280 mm
8.4+	1600 kg	40 HP	15 km/h	2050 kgf	72 l/min	2,98 m	1722 kg	2040 mm	1280 mm
8.4S	1600 kg	40 HP	23 km/h	2050 kgf	72 l/min	2,98 m	1740 kg	2040 mm	1280 mm



8.4

NEW



POWERED BY
YANMAR

8.4S
HIGH-TORQUE
HIGH-SPEED



POWERED BY
YANMAR

8.4+
HIGH-TORQUE

GT series

POWERED BY
YANMAR



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
950	1960 kg	50 HP	25 km/h	1750 kgf	85 l/min	3,15 m	1675 kg	2176 mm	1490 mm
960	1960 kg	58 HP	30 km/h	1800 kgf	95 l/min	3,15 m	1700 kg	2176 mm	1490 mm



GT950
2 SPEED

KOHLER
ENGINES



GT960 KDI
2 SPEED

NEW
MODEL

NEW

ECOAMIGO
ENGENHARIA

9 series



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
9.5	2600 kg	50 HP	25 km/h	1750 kgf	85 l/min	3,21 m	2025 kg	2150 mm	1500 mm
9.6	2600 kg	58 HP	30 km/h	1800 kgf	95 l/min	3,21 m	2060 kg	2150 mm	1500 mm

KOHLER
ENGINES



9.6
HIGH-SPEED
HIGH-TORQUE



9.5

NEW

10 series



	LIFT CAPACITY	POWER	MAX SPEED	PUSHING FORCE	FLOW RATE	LIFT HEIGHT	WEIGHT	HEIGHT	WIDTH
10.8	2700 kg	72 HP	32/40 km/h	2650 kgf	95 l/min	3,21 m	2140 kg	2150 mm	1500 mm
10.9	2700 kg	78 HP	32/40 km/h	2650 kgf	95 l/min	3,21 m	2100 kg	2150 mm	1500 mm

KOHLER
ENGINES



10.9



10.8



ONE MACHINE... MORE THAN 170 ATTACHMENTS



ECOAMIGO
ENGENHARIA

EcoAmigo Consulting Engineers
環美工程設計建造
www.ecoamigoengineers.com